



Tender specification egeplast ege-com® Microduct Multi

Preliminary remark:

ege-com® Microduct Multi pipes are pipe bundles, which are composed of several ege-com® Microduct Mono pipes. These pipe bundles are used in network applications such as FTTH (Fiber to the home), Backbones and Last-Mile.

Designs: With a thin, flexible outer Layer or with a solid, calibrated outer pipe; Version di (direct install) or db (direct buried)

Manufacturer certified according to DIN EN ISO 9001, DIN EN ISO 50001, DIN EN ISO 14001

The production of all necessary pipe-connectors is done in accordance with valid technical requirements. The pipes have to be stored and transported to the construction site in accordance with KRV guidelines.

Product: egeplast ege-com® Microduct Multi
or equivalent

Manufacturer: egeplast international GmbH
Robert-Bosch-Str. 7
D-48268 Greven
Tel.: +49.2575.9710-0
Fax: +49.2575.9710-110
e-mail: info@egeplast.de
<http://www.egeplast.de>

Specification: egeplast ege-com® Microduct Multi version
_____mm (nominal),
Number of mono pipes _____ OD/ID _____
Delivered as drums with a length of _____m

_____m to be delivered and installed professionally, according to DIN and relevant installation guidelines: _____ €/m



Connectors for ege-com® Microduct pipes

Preliminary remark:

System-tested connector for the tensiled or detachable connection of egeplast ege-com® Microduct pipes; pressure-tight up to a minimum of 12 bar internal pressure

Version: di (direct install) or db (direct buried)

Product: egeplast ege-com® Microduct connector
or equivalent

Manufacturer: egeplast international GmbH
Robert-Bosch-Str. 7
D-48268 Greven
Tel.: +49.2575.9710-0
Fax: +49.2575.9710-110
e-mail: info@egeplast.de
<http://www.egeplast.de>

Specification: egeplast ege-com® Microduct connector
version _____mm

Delivery: piece; Price: €/piece; total: €

Installation: piece; Price: €/piece; total: €



Endcaps for ege-com® Microduct pipes

Preliminary remark:

System-tested endcaps for the tensile or detachable connection of egeplast ege-com® Microduct pipes; pressure-tight up to a minimum of 12 bar internal pressure

Version: db (direct buried)

Product: egeplast ege-com® Microduct endcaps
or equivalent

Manufacturer: egeplast international GmbH
Robert-Bosch-Str. 7
D-48268 Greven
Tel.: +49.2575.9710-0
Fax: +49.2575.9710-110
e-mail: info@egeplast.de
<http://www.egeplast.de>

Specification: egeplast ege-com® Microduct endcaps
version _____mm

Delivery: piece; Price: €/piece; total: €

Installation: piece; Price: €/piece; total: €



Reducer for ege-com® Microduct pipes

Preliminary remark:

System-tested reducer for the tensile or detachable connection of egeplast ege-com® Microduct pipes; pressure-tight up to a minimum of 12 bar internal pressure

Version: di (direct install) or db (direct buried)

Product: egeplast ege-com® Microduct reducer
or equivalent

Manufacturer: egeplast international GmbH
Robert-Bosch-Str. 7
D-48268 Greven
Tel.: +49.2575.9710-0
Fax: +49.2575.9710-110
e-mail: info@egeplast.de
<http://www.egeplast.de>

Specification: egeplast ege-com® Microduct reducer
version _____mm

Delivery: piece; Price: €/piece; total: €

Installation: piece; Price: €/piece; total: €